





Bathroom Wiz is a commercial strength concentrated ORGANIC detergent.

VVIZ

It will remove soap scum, body oils, white calcium deposits dirt and urinary deposits etc... from showers, tiles, hand basins, bathtubs and toilets bowls. It is also an excellent stainless-steel cleaner.

Bathroom Wiz is made from highly biodegradable materials and it is safe in septic systems.

### **DIRECTION OF USE**

Heavy Duty: Dilute 1:1 part water. Normal Maintenance: Dilute 1:5 part water. Toilet Bowl: Use neat

CAUTION : Read Safety directions before opening Keep out of reach of children. Visit website for SDS & info.



740-744 Woodville Road Fairfield East NSW 2165

**(** +61 2 9755 2012

www.envirochemicals.com.au
info@envirochemicals.com.au



1

# **SAFETY DATA SHEET**

## 1. PRODUCT & COMPANY IDENTIFICATION

Product Name:	Bathroom Wiz
Uses:	Mildly acidic toilet bowl and Washroom cleaner.
COMPANY DETAILS :	
Company:	Enviro Chemicals (Aust.) Pty Ltd. (A.C.N: 094087493)
Address:	740-744 Woodville Road Fairfield East NSW 2165.
<b>Emergency PH:</b>	(02) 9755 2012 ( <b>Business hour</b> ) or

Poisons Information Centre Telephone: 13 11 26



### 2. HAZARDS IDENTIFICATION

#### STATEMENT OF HAZARDOUS NATURE

THIS PRODUCT IS CLASSIFIED AS: XI, IRRITATING.HAZARDOUSACCORDING TO THE CRITERIAOF SWA. NOTA DANGEROUS GOODACCORDING TO THE AUSTRALIAN DANGEROUS GOODS (ADG) CODE.

RISK PHRASES: R41, R66, R36/38. RISK OF SERIOUS DAMAGE TO EYES. REPEATED EXPOSURE MAY CAUSE SKIN DRYNESS OR CRACKING. IRRITATING TO EYES AND SKIN.

SAFETY PHRASES: S23, S26, S28, S36, S38, S24/25, S37/39. DO NOT BREATHE VAPOURS OR MISTS. IN CASE OF CONTACT WITHEYES, RINSE IMMEDIATELYWITHPLENTY OF WATERAND CONTACTA DOCTOR OR POISONS INFORMATIONCENTRE AFTER CONTACTWITHSKIN, WASH IMMEDIATELYWITH PLENTY OF WATER WEARSUITABLE PROTECTIVECLOTHING. IN CASE OF INSUFFICIENT VENTILATION, WEAR SUITABLE RESPIRATORY EQUIPMENT. AVOID CONTACTWITHSKINAND EYES. WEARSUITABLE GLOVESAND EYE/FACE PROTECTION.

SUSMP CLASSIFICATION: S5 ADG CLASSIFICATION: NONE ALLOCATED. NOTA DANGEROUS GOOD UNDER THEADG CODE.

#### UN NUMBER: NONEALLOCATED GHS SIGNAL WORD: WARNING HAZARD STATEMENT :

AUH066: REPEATED EXPOSURE MAY CAUSE SKIN DRYNESS OR CRACKING. H315: CAUSES SKIN IRRITATION. H319: CAUSES SERIOUS EYE IRRITATION. H335: MAY CAUSE RESPIRATORY IRRITATION.

#### PREVENTION

P102: KEEP OUT OF REACH OF CHILDREN.

P261: AVOID BREATHING FUMES, MISTS, VAPOURS OR SPRAY.

P264: WASH CONTACTED AREAS THOROUGHLY AFTER HANDLING.

P271: USE ONLY OUTDOORS OR INAWELLVENTILATED AREA.

P280: WEAR PROTECTIVE GLOVES, PROTECTIVE CLOTHING AND EYE OR FACE PROTECTION.

#### RESPONSE

P312: CALLAPOISON CENTRE OR DOCTOR IF YOU FEEL UNWELL.

P362: TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

P301+P330+P331: IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.

P302+P352: IF ON SKIN: WASH WITHPLENTY OF SOAP AND WATER.

P304+P340: IF INHALED: REMOVE VICTIM TO FRESHAIRAND KEEP AT REST IN APOSITION COMFORTABLE FOR BREATHING.

P305+P351+P338: IF IN EYES: RINSE CAUTIOUSLY WITHWATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

P332+P313: IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE.

P337+P313: IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE.

P391: COLLECT SPILLAGE.

P370+P378: NOT COMBUSTIBLE. USE EXTINGUISHING MEDIA SUITED TO BURNING MATERIALS.

#### STORAGE

P403+P233: STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.

#### DISPOSAL

P501: DISPOSE OF SMALL QUANTITIES AND EMPTY CONTAINERS BY WRAPPING WITH PAPER AND PUTTING IN GARBAGE. FOR LARGER QUANTITIES, IF RECYCLING OR RECLAIMING IS NOT POSSIBLE, USE A COMMERCIAL WASTE DISPOSAL SERVICE.



### 3. COMPOSITION /

### **INFORMATION ON INGREDIENTS**

Chemical Identity	Percentage	CAS No.
Organic Acid Blend	< 10	Non Hazardous
Non-ionic surfactant	<5	Non Hazardous
Anionic Surfactant	< 10	Non Hazardous
Natural citrus oilPotassium	<1	Non Hazardous
Phosphoric Acid	<10	7664-38-2
Perfume	< 0.2	Non Hazardous
Colour	Trace	Non Hazardous
Water	Remainder	7732-18-5

### 4. FIRST AID MEASURES

Swallowed	Drink 1 or 2 glasses of water. Do Not induce vomiting. NEVER give anything by mouth to an unconscious person. If symptoms persist seek medical advice.
Eye Exposure:	Immediately flush eyes with plenty of water holding eyelids open. If eye irritation persists, seek medical advice.
Skin Exposure:	Wash of with water. If skin irritation persists seek medical advice.
Inhalation:	Remove victim from exposure to fresh air. If feeling unwell seek medical advice.
Advice to Doctor	Treat symptomatically based on individual reactions of patient and judgement of doctor.

### **5. FIRE FIGHTING MEASURES**

Hazchem Code: None Allocated Product is water based and is unlikely to play a contributing role in any fire.

### Special protective precautions and equipment for fire fighters

Fire fighters should use the appropriate equipment for the surrounding fire.



## 6. ACCIDENTAL RELEASE MEASURES

### **PERSONAL PRECAUTIONS:**

USE PERSONAL PROTECTIVE EQUIPMENT. KEEP PEOPLE AWAY FROM AND UPWIND OF SPILL/LEAK. MATERIAL CAN CREATE SLIPPERY CONDITIONS.

**ENVIRONMENTAL PRECAUTIONS:** 

#### CAUTION:

KEEP SPILLS AND CLEANING RUNOFF OUT OF

DRAINS AND OPEN BODIES OF WATER.

METHODS & MATERIALS FOR CONTAINMENT & CLEAN UP: CONTAIN SPILLS IMMEDIATELY WITH INERT ABSORBENT MATERIALS (E.G. SAND, EARTH). TRANSFER LIQUIDS AND USED ABSORBENT MATERIAL TO SEPARATE SUITABLE CONTAINERS FOR RECOVERY OR DISPOSAL.

## 7. HANDLING & STORAGE

### Handling:

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep container tightly closed. Do not breathe vapours, mist or fumes.

### Conditions for safe storage

Store in a cool, dry, well-ventilated area. Keep container closed when not in use.



# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**EXPOSURE LIMIT(S):** THERE IS NO EXPOSURE DATA FOR THIS PRODUCT. THE EXPOSURE STANDARDS FOR 2- BUTOXYETHANOL CAS NO: 111-76-2; TWA: 20PPM (96.9MG/M3) STEL: 50PPM (242MG/M3). ABSORPTION THROUGH SKIN MAY BE A SIGNIFICANT SOURCE OF EXPOSURE.

EXPOSURE CONTROLS:	IF WORKING IN CONFINED SPACE OR POOR VENTILATION
	USE APPROPRIATE RESPIRATORY PROTECTION OR WORK IN WELL VENTILATED AREAS.
EYE PROTECTION:	WEAR SAFETY GLASS, AVOID CONTACT WITH EYES.
HAND PROTECTION:	WEAR SUITABLE GLOVES.
ENGINEERING MEASURES:	USE ONLY IN A WELL VENTILATED AREA. IF HANDLING LARGE AMOUNTS A SYSTEM OF LOCAL AND/OR GENERAL EXHAUST

IS RECOMMENDED.

## 9. PHYSICAL & CHEMICAL PROPERTIES

Physical state:	Liquid
Colour:	Greenish, Blueish
Odour:	Lime
pH:	1.0 - 2.0
Boiling point/range:	Approx: 100 – 171 deg. Celsius.
Melting point/range:	<0oC Water
Flash point:	Non combustible
Vapour pressure:	Not established
Relative vapour density:	Not established
Water solubility:	Miscible with water at all proportions
Relative density:	1.10

**NOTE:** The physical data presented above are typical values and should not be construed as a specification.



## **10. STABILITY & REACTIVITY**

#### **HAZARDOUS REACTIONS:**

**MATERIALS TO AVOID:** 

**POLYMERIZATION:** 

PRODUCT IS STABLE UNDER NORMAL CONDITIONS OF USE, STORAGE AND TEMPERATURE.

STRONG ACIDS.

PRODUCT WILL NOT UNDERGO POLYMERIZATION

## 11.TOXICOLOGICAL INFORMATION

No data is available for this material. The information shown is for 2-Butoxyethanol which is present at less than 10%.

### **Toxicity Data**

Oral LD50 Rat: 470mg/Kg. Skin LD50 Rabbit: 220mg/Kg. Inhaled LC50 Rat: 2211mg/m3 (4hr). Skin Irritation Rabbit: Slight irritation. Eye Irritation: Irritation.

Note: No studies are available on the effects of long term exposure in humans. Studies indicate that repeated exposure causes blood, liver and kidney disorders in animals. Deaths in acute studies were generally caused by narcosis or respiratory failure, with kidney failure seen as a secondary cause. The main toxic effect observed in acute and repeated dose animal studies is haemolysis. The effect varies between species with rats and mice the most susceptible, rabbits less susceptible and guineapigs and humans least susceptible. Changes in kidney, liver, spleen and lungs were found in animals exposed by ingestion, inhalation and skin absorption. Deaths usually result from CNS depression, lung damage and kidney injury.

#### Health Effects – Acute

#### Swallowed

May be harmful if swallowed. Ingestion may cause irritation of mucous membranes in mouth, pharynx, oesophagus and gastro-intestinal tracts. Symptoms include nausea, headache, vomiting, ataxia (impaired locomotor co-ordination), acidosis, drowsiness, Agitation, insomnia, changes in the blood pressure, pulmonary oedema and damage to the liver and kidneys.

**Eye:** Causes eye irritation.

**Skin:** Irritating to skin. Danger of skin absorption.

**Inhaled:** Inhalation causes irritation to the mucus membranes, coughing and dyspnoea. Chronic exposure causes damage to blood cells and blood in urine.



# 12. ECOLOGICAL INFORMATION

Ecotoxicity: No data available

Persistence and degradability: No information available for this product.

**Mobility:** No information available on this product.

Additional information

Environmental fate (exposure): Avoid contaminating waterways, drains and sewers.

Bioaccumulative potential: No information available for this product.

# 13. DISPOSAL CONSIDERATIONS

### **Environmental precautions:**

CAUTION:

Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Disposal:** Dispose of in accordance with local, state and federal regulations.



# 14. TRANSPORT INFORMATION

Classification for ROAD and RAIL transport; Not regulated (Not dangerous for transport) Classification for SEA transport (IMO-IMDG): Not regulated (Not dangerous for transport) Classification for AIR transport (IATA/ICAO): Not regulated (Not dangerous for transport)

Hazchem Code: None allocated.

# 15. REGULATORY INFORMATION

### Label Classification and labelling have been performed according to regulations.

Poison Schedule None allocated

EPG

None anocateu

Not applicable

Australia. Industrial Chemical (Notification and Assessment) Act (AUSTR).

All ingredients in this preparation are listed in the Australian Inventory of Chemical Substances, AICS.



### **16. OTHER INFORMATION**

Date of Preparation: 01/0172023

Key to Abbreviations & Acronyms Used in SDS:

<	Less Than
>	Greater Than
AICS	Australian Inventory of Chemical Substances
CAS	Chemical Abstracts Service (Registry Number)
LC50	LC stands for lethal Concentration. LC50 is the concentration of a material
LUJU	in air which causes death of 50% (one half ) of a group of test animals
LD50	in air which causes death of 50% (one half ) of a group of test animals. LD stands for "Lethal Dose". LD50 is the amount of a material, given all
LDUU	at once, which causes the death of 50% (one half) of a group of test animals.
NOHSC	National Occupational Health and Safety Commission.
OECD	Organisation for Economic Co-operation and Development.
PEL	Permissible Exposure Limit.
STEL	Short Term Exposure
STEL Limit TLV	Threshold Limit Value
TWA	Time Weighted Average
UN	United Nations (Number)
deg C ('C)	Degrees
Celsius g	Gram
g/cm3	Grams per cubic
centimetre g/l	Grams per litre
Immiscible	Liquids are insoluble in each other
kg	Kílogram
kg/m3	Kilograms per cubic
metre Itr	Litře
m3	Cubic
metre mg	Milligram
mg/24H	Milligrams per 24 hours
mg/kg	Milligrams per kilogram
mg/m3	Milligrams per cubic metre
miscible	Liquids form one homogeneous liquid
ppm	Parts per million
wt	Weight
	Literature Deferences Cumlics CDC

Literature References: Supplies SDS

THE INFORMATION PROVIDED IN THIS SAFETY DATA SHEET IS CORRECT TO THE BEST OF OUR KNOWLEDGE, INFORMATION AND BELIEF AT THE DATE OF ITS PUBLICATION.

THE INFORMATION GIVEN IS DESIGNED ONLY AS GUIDANCE FOR SAFE HANDLING, USE, PROCESSING, STORAGE, TRANSPORTATION, DISPOSAL AND RELEASE AND IS NOT TO BE CONSIDERED A WARRANTY OR QUALITY SPECIFICATION.

THE INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS, UNLESS SPECIFIED IN THE TEXT.

### END OF SDS

Enviro Chemicals Bathroom Wiz SDS